CANCER

"All.Can Argentina Cancer **Patients Survey**"

IPSOS HEALTHCARE (2020)



Diagnosis is delayed from onset of symptoms

Buenos Aires

THE MOST CRITICAL TIME FOR PATIENTS

is "learn about the diagnosis"

it is "a bucket of cold water"



Through screening or early detection programs only 12% of total cancers are detected

30% for prostate cancer

10% for colorectal cancer

9 out of 10 patients consulted a doctor after the onset of symptoms

Early detected

0000 1 out of 4 tumors

00000000 1 out of 10 tumors

in people with prepaid health insurance (HI)


in people without prepaid health insurance (HI)

Reasons for the delay

Cancer types without associated symptoms, such as myeloma, colon, or prostate cancers

with specialists not related with the pathology

Misdiagnosis



PROFILE OF SURVEYED PATIENTS

AGE

54%

SEX

TYPE OF HEALTH INSURANCE

84% without prepaid HI

45-55

27%

Public health service

68%

public heatlh services

6,4 months

delay of diagnosis

Men

45%

PAMI

16%

65-75

18%

+75

5%

Prepaid HI

16%

55-65

27%

delay of

diagnosis

Women

55%

35-45


15%

- 35

7%

DIAGNOSIS STAGE





According to the organ involved

Detected before the tumor spreads: → Breast: 7 out of 10 cases


> Colon: 6 out of 10 cases 00000000

000000000

Hematological (leukemias and lymphomas) Half cancers are detected at more advanced stages

Cancers detected at more advanced stages

at the time of diagnosis



Direct request for consultation

Difficult access to testing

Source: IPSOS HEALTHCARE (2020)